Version: 1.0

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 09/01/2015 Date of issue: 09/02/2015

SECTION 1: IDENTIFICATION

Manufacturer/Distributor	IMS Company	Emergency Phone	800-424-9300
	10373 Stafford Road	Prepared by	Product Safety Advisor
	Chagrin Falls, OH 44023-5296	Prepared/Revised	September 1, 2015
	Chagrin Falls, OH 44023-5296	Prepared/Revised	

Trade NameUG-10, Universal Ethylene Glycol Circulating Fluid

Item Numbers	125174	5 gallon pail
	125175	55 gallon drum

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substar Classification (GHS-US)	ice or Mixture
Acute Tox. 4 (Oral) H302	
STOT RE 2 H373	
Full text of H-phrases: see section 16	
2.2. Label Elements	
GHS-US Labeling	
Hazard Pictograms (GHS-US)	CHS07 GH508
Signal Word (GHS-US)	: Warning
Hazard Statements (GHS-US)	: H302 - Harmful if swallowed.
	H319 - Causes serious eye irritation.
	H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).
Precautionary Statements (GHS-US)	: P260 - Do not breathe vapors, mist, or spray.
	P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
	P270 - Do not eat, drink or smoke when using this product.
	P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.
	P314 - Get medical advice/attention if you feel unwell.
	P330 - Rinse mouth.
	P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.
2.3 Other Hazards	

2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

Name	Product Identifier	%	Classification (GHS-US)
Proprietary Ingredient A	(CAS No) Proprietary	0.1 - 100	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Proprietary Ingredient B	(CAS No) Proprietary	<1	Eye Irrit. 2A, H319 Repr. 1B, H360
Proprietary Ingredient C	(CAS No) Proprietary	< 0.5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

*The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200].

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating.

Symptoms/Injuries After Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts. Acute exposure of humans to this product by ingesting large quantities causes three stages of health effects. CNS depression, including such symptoms as vomiting, drowsiness, coma, respiratory failure, convulsions, metabolic changes, and gastrointestinal upset are followed by cardiopulmonary effects and later renal damage.

Chronic Symptoms: May cause damage to organs through prolonged or repeated exposure.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapor, mist, spray). Avoid all contact with skin, eyes, or clothing.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental Precautions 6.2.

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections 6.4.

See Heading 8. Exposure controls and personal protection. See Section 13, Disposal Considerations.

SECTION 7: HANDLING AND STORAGE

7.1. **Precautions for Safe Handling**

Additional Hazards When Processed: Handle in accordance with standard industrial practices, and ensure appropriate ventilation. Avoid all contact with skin, eyes, clothing. Do not release into the environment.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Handle empty containers with care because they may still present a hazard.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Products: Strong acids, strong bases, strong oxidizers.

Specific End Use(s) 7.3.

Antifreeze - Coolant.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

Proprietary Ingredient A (Proprietary)		
USA ACGIH	ACGIH Ceiling (mg/m ³)	100 mg/m ³ (aerosol only)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
Proprietary I	ngredient B (Proprietary)	
USA ACGIH	ACGIH TWA (mg/m³)	2 mg/m ³ (inhalable fraction)
USA ACGIH	ACGIH STEL (mg/m ³)	6 mg/m ³ (inhalable fraction)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1 mg/m ³

8.2. **Exposure Controls**

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles.



- Materials for Protective Clothing **Hand Protection Eye Protection**
- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.

Skin and Body Protection	: Wear suitable protective clothing.	
Respiratory Protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory	
	protection should be worn. In case of inadequate ventilation, oxygen deficient	
	atmosphere, or where exposure levels are not known wear approved respiratory	
	protection.	
Environmental Exposure Controls	: Do not allow the product to be released into the environment.	
Consumer Exposure Controls Other Information	: Do not eat, drink or smoke during use. : When using, do not eat, drink or smoke.	
ECTION 9: PHYSICAL AND CHEMIC	-	
0.1. Information on Basic Physica		
Physical State	: Liquid	
Appearance	: Bright Yellow or Bright Pink	
Odor	: Characteristic - mild odor	
Odor Threshold	: No data available	
pH	: 8.5 - 10.5	
•		
Evaporation Rate	: No data available	
Melting Point	: No data available	
Freezing Point	: No data available	
Boiling Point	: 218 - 325 °F (103.33 - 162.78 °C)	
Flash Point	: ≈ 240 °F (≈115.56 °C)	
Auto-ignition Temperature	: No data available	
Decomposition Temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor Pressure	: No data available	
Relative Vapor Density at 20 °C	: No data available	
Relative Density	: No data available	
Specific Gravity	: 1.045 - 1.210	
Specific gravity / density	: 8.7 - 10.08 (lbs / gal)	
Solubility	: Complete in water	
Partition Coefficient: N-Octanol/Water	: No data available	
Viscosity	: 2 - 18 cps	
9.2. Other Information		

No additional information available SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity: Hazardous reactions will not occur under normal conditions.

- **10.2.** Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4.** Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- **10.5.** Incompatible Materials: Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products: Thermal decomposition is highly dependent on conditions. A complex mixture of airborne solids, liquids and gases, including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or thermal or oxidative degradation.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Oral: Harmful if swallowed.

IMS UG-10		
ATE (Oral)	500.00 mg/kg body weight	
Proprietary Ingredient A (Proprietary)		
LD50 Oral Rat	4700 mg/kg	
LD50 Dermal Rat	10600 mg/kg	
Proprietary Ingredient B (Proprietary)		
LD50 Oral Rat	2403 mg/kg	

LD50 Oral Rat	735 mg/kg (Species: Sprague-Dawley)
Skin Corrosion/Irritation: Not classified	
pH: 8.5 - 10.5	
Serious Eye Damage/Irritation: Not clas	ssified
pH: 8.5 - 10.5	
Respiratory or Skin Sensitization: Not	
Germ Cell Mutagenicity: Not classified	
Carcinogenicity: Not classified	(The reproductive basarde accepted with CAS No Dranvistory (Dranvistory Ingradient D
are ≥ 6.5 %.)	(The reproductive hazards associated with CAS No Proprietary (Proprietary Ingredient B)
Specific Target Organ Toxicity (Single	Exposure): Not classified
	ted Exposure): May cause damage to organs (kidneys) through prolonged or repeated
exposure (oral).	
Aspiration Hazard: Not classified	
-	Prolonged exposure may cause irritation.
	t: Prolonged exposure may cause skinirritation.
Symptoms/Injuries After Eye Contact:	Direct contact with the eyes is likely irritating.
Symptoms/Injuries After Ingestion: Th	nis material is harmful orally and can cause adverse health effects or death in significant
	o this product by ingesting large quantities causes three stages of health effects. CNS
	as vomiting, drowsiness, coma, respiratory failure, convulsions, metabolic changes, and
- · · · ·	cardiopulmonary effects and later renal damage.
	e to organs through prolonged or repeated exposure.
ECTION 12: ECOLOGICAL INFORM	MATION
•	
Ecology - General	: May be toxic to aquatic life.
Ecology - General Proprietary Ingredient A (Proprietary)	
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static])
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabili	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static])
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabili IMS UG-10	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) ity
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabili IMS UG-10 Persistence and Degradability	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static])
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabili IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) ity
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabili IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential IMS UG-10	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) ity Not established.
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabilit IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential IMS UG-10 Bioaccumulative Potential	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static]) ity Not established.
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabilit IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential IMS UG-10 Bioaccumulative Potential Proprietary Ingredient A (Proprietary)	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static]) ity Not established.
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabilit IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential IMS UG-10 Bioaccumulative Potential Proprietary Ingredient A (Proprietary) Log Pow	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static]) ity Not established.
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabilit IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential IMS UG-10 Bioaccumulative Potential Proprietary Ingredient A (Proprietary) Log Pow 12.4. Mobility in Soil	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static]) ity Not established.
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabilit IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential IMS UG-10 Bioaccumulative Potential Proprietary Ingredient A (Proprietary) Log Pow 12.4. Mobility in Soil No additional information available	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static]) ity Not established.
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabilit IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential IMS UG-10 Bioaccumulative Potential Proprietary Ingredient A (Proprietary) Log Pow 12.4. Mobility in Soil No additional information available	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static]) ity Not established.
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabilit IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential IMS UG-10 Bioaccumulative Potential Proprietary Ingredient A (Proprietary) Log Pow 12.4. Mobility in Soil No additional information available 12.5. Other Adverse Effects Other Information	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static]) ity Not established. -1.93 : Avoid release to the environment.
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabilit IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential IMS UG-10 Bioaccumulative Potential IMS UG-10 Bioaccumulative Potential Proprietary Ingredient A (Proprietary) Log Pow 12.4. Mobility in Soil No additional information available 12.5. Other Adverse Effects	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static]) ity Not established. -1.93 : Avoid release to the environment.
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabilit IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential IMS UG-10 Bioaccumulative Potential Proprietary Ingredient A (Proprietary) Log Pow 12.4. Mobility in Soil No additional information available 12.5. Other Adverse Effects Other Information	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static]) ity Not established. -1.93 : Avoid release to the environment.
Ecology - General Proprietary Ingredient A (Proprietary) LC50 Fish 1 EC50 Daphnia 1 LC 50 Fish 2 12.2. Persistence and Degradabilit IMS UG-10 Persistence and Degradability 12.3. Bioaccumulative Potential IMS UG-10 Bioaccumulative Potential Proprietary Ingredient A (Proprietary) Log Pow 12.4. Mobility in Soil No additional information available 12.5. Other Adverse Effects Other Information ECTION 13: DISPOSAL CONSIDER 13.1. Waste treatment methods	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss[static]) ity Not established. -1.93 : Avoid release to the environment.

Ecology – Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

14.1. In Accordance with DOT

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S., (ETHYLENE GLYCOL)

Hazard Class	: 9	
		9
Identification Number	: UN3082	★
Label Codes	: 9	
Packing Group	: 111	
ERG Number	: 171	
4.2. In Accordance with	IMDG	
Proper Shipping Name	: ENVIRONMENTA	ALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (ETHYLENE GLYCOL)
Hazard Class	: 9	
dentification Number	: UN3082	
Packing Group	:	•
Label Codes	: 9	
EmS-No. (Fire)	: F-A	
EmS-No. (Spillage)	: S-F	
4.3. In Accordance with		
Proper Shipping Name		ALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (ETHYLENE GLYCOL)
Packing Group	: 111	
dentification Number	: UN3082	
Hazard Class	: 9	
Label Codes	: 9	<u> </u>
ERG Code (IATA)	: 9L	
CTION 15: REGULATOR	Y INFORMATION	
5.1 US Federal Regulat	ions	
IMS UG-10		
SARA Section 311/312 Haza	rd Classes	Immediate (acute) health hazard
		Delayed (chronic) health hazard
Proprietary Ingredient A (Pro	oprietary)	
Listed on the United States T	SCA (Toxic Substances	Control Act) inventory
Listed on United States SARA	Section 313	
EPA TSCA Regulatory Flag		Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the
SARA Section 313 - Emission	Reporting	exemption rule. 1.0 %
Proprietary Ingredient C (Pro	oprietary)	
Listed on the United States T		Control Act)inventory
5.2 US State Regulation	•	
Proprietary Ingredient A (Pro		
U.S Massachusetts - Right		
U.S New Jersey - Right to K		ncelist
U.S Pennsylvania - RTK (Rig		
U.S Pennsylvania - RTK (Rig		
Proprietary Ingredient B (Pro		
U.S Massachusetts - Right		
CTION 16: OTHER INFO	RMATION, INCLUD	ING DATE OF PREPARATION OR LAST REVISION
Revision Date		: 07/27/2015
Other Information		: This document has been prepared in accordance with the SDS
		requirements of the OSHA Hazard Communication Standard 29 CFR
		1910.1200.
GHS Full Text Phrases:		
Acute Tox. 4 (Oral)		Acute toxicity (oral) Category 4

Aquatic Acute 2

Hazardous to the aquatic environment - Acute Hazard Category 2

Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Repr. 1B	Reproductive toxicity Category 1B
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H360	May damage fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

NOTE: The information contained in this document is believed to be true and accurate as of the date of this document. However, there are no guarantee's expressed or implied. Since the use of this information and the conditions for the safe use of this product are not under the control, or supervision, of Thermal Fluid Technologies Inc. or any of its employee's, it is the user's obligation, and sole responsibility, to determine conditions for the safe use of this product and to ensure that anyone in close proximity of this product, or handling this product, has read and completely understands the conditions pertaining to the safe use of this product as outlined in these material safety data sheets. The physical data contained in this document is based on results that have been calculated and/or taken from available data.

SDS US (GHS HazCom)