

Foaming Citrus

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: C-FOAM Foaming Citrus Mold Cleaner
SDS Number: 168232
Revision Date: 11/11/2022
Version: 2
Product Type: Aerosol Mold Cleaner
Supplier Details: IMS Company
 10373 Stafford Rd.
 Chagrin Falls, OH 44023-5296
Phone: 1-440-543-1615
Emergency: Chemtel 1-800-255-3924

NOTE: The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. We provide this information as guidance for providing personal protection to your employees. The user has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. The user must meet all applicable safety and health standards. We provide this information as guidance for providing personal protection to your employees.

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Aerosols, 2
 Physical, Gases Under Pressure, Liquefied Gas
 Health, Aspiration hazard, 1
 Health, Skin corrosion/irritation, 2
 Health, Skin sensitization, 1
 Health, Serious Eye Damage/Eye Irritation, 2 A

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **DANGER**

GHS Hazard Pictograms:



GHS Hazard Statements:

H223 - Flammable aerosol
 H280 - Contains gas under pressure; may explode if heated
 H304 - May be fatal if swallowed and enters airways
 H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation

GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces.
 P211 - Do not spray on an open flame or other ignition source.
 P251 - Do not pierce or burn, even after use.
 P261 - Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P264 - Wash skin thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P271 - Use only outdoors or in a well-ventilated area.
 P272 - Contaminated work clothing should not be allowed out of the workplace.
 P280 - Wear protective gloves/ eye protection/ face protection.
 P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

Foaming Citrus

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331 - Do NOT induce vomiting.
P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 - If eye irritation persists: Get medical advice/ attention.
P362 - Take off contaminated clothing and wash before reuse.
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P391 - Collect spillage.
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 - Dispose of contents/container in accordance with local/regional regulations.

3

COMPOSITION/INFORMATION OF INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
68476-86-8	10-20%	Petroleum gases, liquefied
5989-27-5	1-10%	D-Limonene
9016-45-9	<5%	Alkylphenol ethoxylate
112-34-5	<5%	Diethylene glycol monobutyl ether

4

FIRST AID MEASURES

Inhalation: Remove exposed individual to fresh air, protecting yourself. Restore breathing if necessary. Contact a physician.
Skin Contact: Wash with soap and water. Remove any contaminated clothing and launder before reusing. If irritation persists, seek medical attention.
Eye Contact: Flush with warm water for 15 minutes. Seek medical attention.
Ingestion: Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

5

FIRE FIGHTING MEASURES

Flash Point: Flash point of propellant <0 degrees F.
LEL: Lower: 3.4 % (VOL.) Gas in air (propellant portion)
UEL: Upper: 18 % (VOL.) Gas in air (propellant portion)
Extinguishing Media:
Dry chemical, carbon dioxide, halon, or foam is recommended. Water spray may be used to cool containers or structures. Halon may decompose into toxic materials and carbon dioxide will displace oxygen, take proper precautions when using these materials.
Unusual Fire & Explosion Hazards:
This material may be ignited by extreme heat, sparks, flames or other ignition sources (static electricity). Vapors are heavier than air and will collect in low areas (sewers) or travel considerable distances. If containers are not cooled in a fire, they may rupture and ignite.
Special Fire Fighting Procedures:
At elevated temperatures (over 130F) aerosol container may burst, vent or rupture; use equipment or shielding to protect personnel. Cooling exposed containers with streams of water may be helpful. Emergency responders should wear self-contained breathing apparatus. Wear other protective gear as conditions warrant. Keep unauthorized people out and try to contain spills or leaks if it can be done safely. Material will float on water, avoid spreading the fire.

6

ACCIDENTAL RELEASE MEASURES

Spill or Leak Instructions

Contain spill with dikes of soil or nonflammable absorbent to minimize contaminated area. Avoid run-off into storm sewers and ditches leading to waterways. If required, notify state and local authorities. Place leaking containers in well-ventilated area. Clean up small spills

Foaming Citrus

by using a nonflammable absorbent or flushing sparingly with water. Contain larger spills with nonflammable diking or absorbent. Clean up by vacuuming or sweeping.

Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind; keep out of low areas. Assess the spill situation, as the spill may not evolve large amounts of hazardous airborne contaminants in many outdoor spill situations. It may be advisable in some cases to simply monitor the situation until spilled product is removed.

7

HANDLING AND STORAGE

Handling Precautions:

Store below 120°F in cool, dry area, out of direct sunlight and away from strong oxidizers. Do not puncture or burst. Use in accordance with good work place practices. Use with adequate ventilation. Keep containers closed when not in use. Always open containers slowly to allow any excess pressure to vent. Avoid breathing vapor. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Decontaminate soiled clothing thoroughly before re-use. Destroy contaminated leather clothing.

Empty containers may contain residues from the product. Treat empty containers with the same precautions as the material last contained. Do not cut, weld or apply heat to empty containers. Do not incinerate.

Storage Requirements:

Store in a cool, dry area, away from heat or direct sunlight. Keep containers closed when not in use. Do not store with incompatible materials.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

General or dilution ventilation is frequently sufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Use a NIOSH approved respirator if ventilation is not adequate to maintain exposures below TLV levels.

Personal Protective Equipment:

Protective Equipment:

Use synthetic gloves if necessary to prevent excessive skin contact. Do not wear contacts and always use ANSI approved safety glasses or splash shield.

Respiratory Protection:

Use adequate ventilation to maintain exposure limits. If the exposure limits of the products or any of its components is exceeded, an approved organic vapor mask should be used (consult your safety equipment supplier). Above exposure levels an approved self-contained breathing apparatus or airline respirator with full face-piece is required.

Other Suggested Equipment:

Eye wash station and emergency showers should be available. Spill containment equipment should be available.

Discretion Advised:

We take no responsibility for determining what measures are required for personal protection in any specific application. The general information should be used with discretion.

Ingredients

CAS

Exposure Limits

Liquefied Petroleum Gas	68476-86-8	OSHA (PEL)	1000 ppm	
		ACGIH TLV	1000 ppm	
d-limonene	5989-27-5	ACGIH TLV	20 ppm	
Diethylene Glycol	112-34-5	ACGIH TLV		25 ppm
Monobutyl Ether				
Alkylphenol ethoxylate	9016-45-9	NE		

9

PHYSICAL AND CHEMICAL PROPERTIES

Foaming Citrus

Appearance:	Clear Aerosol	Solubility:	Negligible
Viscosity:	NE	Freezing/Melting Pt.:	NE
Boiling Point:	NE	Vapor Density:	>1 Air = 1
Flammability:	Flammable	Auto-Ignition Temp:	NE
Vapor Pressure:	>30 psi	UFL/LFL:	NA
pH:	NE		
Evap. Rate:	Ether = 1 Slower		

10

STABILITY AND REACTIVITY

Chemical Stability:	Stable
Conditions to Avoid:	Heat, spark, and open flame.
Materials to Avoid:	Strong Oxidizing Agents.
Hazardous Decomposition:	Combustion will produce Carbon Monoxide, Carbon Dioxide, and nitrogen-oxygen compounds.
Hazardous Polymerization:	Will not occur.

11

TOXICOLOGICAL INFORMATION

D-Limonene cas#:(5989-27-5) [1-10%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 4,400 mg/kg Remarks: Behavioral:Change in motor activity (specific assay). Respiratory disorder Skin and Appendages:

Other: Hair. Inhalation: Irritating to respiratory system.

LD50 Dermal - rabbit - > 5,000 mg/kg

no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: May cause sensitisation by skin contact.

Germ cell mutagenicity: no data available

Carcinogenicity:

Carcinogenicity - rat - Oral:

Tumorigenic:Carcinogenic by RTECS criteria. Kidney, Ureter, Bladder:Kidney tumors. Tumorigenic Effects: Testicular

Carcinogenicity - mouse - Oral:

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Gastrointestinal:Tumors.

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (D-Limonene)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Foaming Citrus

Additional Information:

RTECS: GW6360000

Liver - Irregularities - Based on Human Evidence

Alkylphenol ethoxylate cas#:(9016-45-9) [<5%]

Information on toxicological effects

Acute toxicity: no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: Skin - rabbit Result: Mild skin irritation

Serious eye damage/eye irritation: Eyes - rabbit Result: Severe eye irritation

Respiratory or skin sensitisation: Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: May cause respiratory irritation.

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: Additional Information:

RTECS: AX0247000

Nausea, Headache, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Diethylene glycol monobutyl ether cas#:(112-34-5) [<5%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - male - 7,291 mg/kg (OECD Test Guideline 401)

Inhalation: no data available

LD50 Dermal - rabbit - male - 2,764 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation: Skin - rabbit Result: Mild skin irritation - 1 h (OECD Test Guideline 404)

Serious eye damage/eye irritation: Eyes - rabbit Result: Irritating to eyes. (OECD Test Guideline 405)

Foaming Citrus

Respiratory or skin sensitisation: Maximisation Test - guinea pig Result: Does not cause skin sensitisation. (OECD Test Guideline 406)

Germ cell mutagenicity: Ames test *S. typhimurium* Result: negative

OECD Test Guideline 477 *Drosophila melanogaster* - male and female

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Reproductive toxicity - rat - male and female - Dermal:

No adverse effect has been observed in chronic toxicity tests.

no data available

Developmental Toxicity - rabbit - Dermal:

No adverse effect has been observed in chronic toxicity tests.

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

Repeated dose toxicity - rat - male and female - Oral - No observed adverse effect level - 250 mg/kg RTECS: KJ9100000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

12

ECOLOGICAL INFORMATION

D-Limonene cas#:(5989-27-5) [1-10%]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - *Pimephales promelas* (fathead minnow) - 0.702 mg/l - 96.0 h.

Toxicity to daphnia and EC50 - *Daphnia pulex* (Water flea) - 69.6 mg/l - 48 h.

other aquatic

invertebrates

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

Foaming Citrus

Alkylphenol ethoxylate cas#:(9016-45-9) [<5%]

Information on ecological effects

Toxicity:

Toxicity to fish mortality LOEC - Pimephales promelas (fathead minnow) - 2.0 mg/l - 144 h.

mortality NOEC - Pimephales promelas (fathead minnow) - 1.8 mg/l - 144 h

LC50 - Lepomis macrochirus (Bluegill) - 1.0 - 9.7 mg/l - 96 h

Toxicity to daphnia and mortality NOEC - Daphnia magna (Water flea) - 10.0 mg/l - 144 h.

other aquatic invertebrates

mortality LOEC - Daphnia magna (Water flea) - 20.0 mg/l - 144 h

EC50 - Daphnia magna (Water flea) - - 17.0 mg/l - 48 h

Toxicity to algae Growth inhibition LOEC - Pseudokirchneriella subcapitata - 16.0 mg/l - 96 h.

Growth inhibition NOEC - Pseudokirchneriella subcapitata - 8.0 mg/l - 96 h

Persistence and degradability: Biodegradability Result: 86 % - Readily biodegradable. (Modified Sturm Test)

Bioaccumulative potential: Does not bioaccumulate.

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

Diethylene glycol monobutyl ether cas#:(112-34-5) [<5%]

Information on ecological effects

Toxicity:

Toxicity to fish static test LC50 - Lepomis macrochirus - 1,300 mg/l - 96 h.

(OECD Test Guideline 203)

Toxicity to daphnia and static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h.

other aquatic (Directive 67/548/EEC, Annex V, C.2.) invertebrates

Toxicity to algae static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - >:

100 mg/l - 96 h (OECD Test Guideline 201)

Toxicity to bacteria LC50 - Pseudomonas putida - 1,170 mg/l - 16 h.

Persistence and degradability: Biodegradability aerobic - Exposure time 28 d Result: 91.7 % - Readily biodegradable. (OECD Test Guideline 301B)

Bioaccumulative potential: Does not bioaccumulate.

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

13

DISPOSAL CONSIDERATIONS

Do not puncture or burn containers. Give empty, leaking, or full containers to disposal service equipped to handle and dispose of aerosol (pressurized) containers. Dispose of spilled material in accordance with state and local regulations for waste that is non-hazardous by Federal definition. Note that this information applies to the material as manufactured; processing, use, or contamination may make this information inappropriate, inaccurate, or incomplete.

Foaming Citrus

Note that this handling and disposal information may also apply to empty containers, liners and rinsate. State or local regulations or restrictions are complex and may differ from federal regulations. This information is intended as an aid to proper handling and disposal; the final responsibility for handling and disposal is with the owner of the waste. See Section 9 - Physical and Chemical Properties.

14**TRANSPORT INFORMATION**

Aerosols (limited quantity),
Class 2.1, ERG 126

AIR (IATA)
Aerosols (limited quantity),
Class 2.1, ERG 126, UN No. 1950

Vessel
Aerosol (Limited Quantity), Class 2.1, UN No 1950

15**REGULATORY INFORMATION**

[%] RQ (CAS#) Substance - Reg Codes

[10-20%] Petroleum gases, liquefied (68476-86-8) TSCA

[1-10%] D-Limonene (5989-27-5) TSCA

[<5%] Alkylphenol ethoxylate (9016-45-9) GADSL, TSCA

[<5%] Diethylene glycol monobutyl ether (112-34-5) HAP, TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend


TSCA = Toxic Substances Control Act

GADSL = Global Automotive Declarable Substance List (GADSL)

HAP = Hazardous Air Pollutants

16**OTHER INFORMATION**

NFPA: Health = 2, Fire = 3, Reactivity = 0, Specific Hazard = n/a

**Note:**

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. We make no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. This material may be released from gas, liquid, or solid materials made directly or

Safety Data Sheet

Foaming Citrus

indirectly from it. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards. Possession of an SDS does not indicate that the possessor of the SDS was a purchaser or user of the subject product.

Revision Date: 11/11/2022